

Rang[®]

RANGE OF DECORATIVE PRODUCTS

INTERLOCKIT[™]

WALLCLADS & FITTINGS

Rang®

RANGE OF DECORATIVE PRODUCTS



ABOUT INTERLOCKIT


Interlockit is a next-generation wallclads and louvers system by Rang, designed to redefine modern interiors through precision engineering and seamless installation. Built on an intelligent direct interlock mechanism, Interlockit ensures perfect alignment, clean edges, and long-lasting performance. The range combines HDPC wallclads, louvers, and precision-engineered profiles that work together as a complete system — not as loose components.

Backed by Rang's expertise in decorative and architectural surface solutions, every Interlockit product is developed to deliver:

- Faster and cleaner installation
- Superior structural stability
- Contemporary aesthetics with functional detailing

From residential spaces to commercial interiors, Interlockit empowers designers, architects, and contractors to create walls that are visually striking, technically sound, and future-ready.

Interlockit is not just a surface solution — it's an integrated wall system by Rang.



INTERLOCKIT™

WALLCLADS & FITTINGS

Rang
RANGE OF DECORATIVE PRODUCTS

INTERLOCKIT™
WALLCLADS & FITTINGS

Installation of HDPC Wall Panel



Click the Play Button to Watch the Video.









HDPC WALLCLADS & LOUVERS

| | | |
|--------|--|--------|
| HDB 01 | | HDL 01 |
| HDB 02 | | HDL 02 |
| HDB 03 | | HDL 03 |
| HDB 04 | | HDL 04 |
| HDB 05 | | HDL 05 |
| HDB 06 | | HDL 06 |
| HDB 07 | | HDL 07 |
| HDB 08 | | HDL 08 |
| HDB 09 | | HDL 09 |
| HDB 10 | | HDL 10 |
| HDB 11 | | HDL 11 |
| HDB 12 | | HDL 12 |
| HDB 13 | | HDL 13 |
| HDB 14 | | HDL 14 |
| HDB 15 | | HDL 15 |

I
N
D
E
X

 TOUCH
ANY CODE
TO EXPLORE

FITTINGS

| | |
|---|-----------------------------|
|  | LED Profile |
|  | LED Skirting Profile |
|  | H Profile |
|  | I Profile |
|  | J Profile |
|  | L Profile |
|  | P Profile |
|  | T Profile |



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 07



HDL 07



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 08




HDL 08



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



J Profile

Perfect for edging applications, it offers a clean and minimalist finish while providing added protection for exposed edges.

FITTINGS : 3000 mm (L)





SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 09



HDL 09



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 10





HDL 10



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



L Profile

Frames external corners with a sharp, defined edge, ensuring style and durability.

FITTINGS : 3000 mm (L)



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang[®]
RANGE OF DECORATIVE PRODUCTS



HDB 11



HDL 11



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION




CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS


Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 13





HDL 13



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



I Profile

An effective solution for vertically joining two panels while maintaining a seamless finish.

FITTINGS : 3000 mm (L)





SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION




CURVE
BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 12



HDL 12



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 14






HDL 14



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



T Profile

Bridges gaps between different surfaces, creating a smooth transition while adding a subtle design element.

FITTINGS : 3000 mm (L)



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 15





HDL 15



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



P Profile

A flexible, decorative trim ideal for smooth transitions and finishing touches in various spaces.

FITTINGS : 3000 mm (L)



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 05



HDL 05



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE

INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 06






HDL 06



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



LED Profile

A seamless blend of light and design, the LED Profile adds modern architectural charm to any space. Its sleek finish and gentle illumination enhance interiors, creating refined highlights that define contemporary luxury.

FITTINGS : 3000 mm (L)





SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION




CURVE
BENDABLE

INTERLOCKIT™


WALLCLADS & FITTINGS

Rang®

RANGE OF DECORATIVE PRODUCTS



HDB 01



HDL 01



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH RESISTANT AND EASY CLEAN



SOUND INSULATION



WATER RESISTANCE



CONVENIENT AND QUICK INSTALLATION



FIRE AND FLAME RETARDANT



HEALTH AND ENVIRONMENTAL PROTECTION




CURVE BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang[®]
RANGE OF DECORATIVE PRODUCTS



HDB 02





HDL 02



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



LED Skirting Profile

Adds a clean, polished edge to the base of your walls, concealing imperfections while protecting against scuffs.

FITTINGS : 3000 mm (L)



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION




CURVE
BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang®
RANGE OF DECORATIVE PRODUCTS



HDB 03



HDL 03



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



SCRATCH
RESISTANT AND
EASY CLEAN



SOUND
INSULATION



WATER
RESISTANCE



CONVENIENT
AND QUICK
INSTALLATION



FIRE AND FLAME
RETARDANT



HEALTH AND
ENVIRONMENTAL
PROTECTION



CURVE
BENDABLE


INTERLOCKIT™

WALLCLADS & FITTINGS

Rang[®]
RANGE OF DECORATIVE PRODUCTS



HDB 04




HDL 04



WALLCLADS : 2900 mm (L) X 610 mm (W) X 8 mm (T)
LOUVERS : 2900 mm (L) X 151 mm (W) X 8 mm (T)

INDEX



H Profile

Provides a seamless joint between two panels, ensuring refined visual continuity along with enhanced structural strength and stability.

FITTINGS : 3000 mm (L)

DO'S

- Ensure the wall surface is clean, dry, and level before installation.
- Use the recommended profiles and fittings for proper alignment.
- Maintain accurate measurements and spacing during installation.
- Use proper screws, adhesive, and fixing methods as recommended.
- Store panels in a dry and flat area before installation.
- Handle panels carefully to avoid scratches or edge damage.
- Use professional installers for best finishing and durability.
- Keep a small expansion gap where required for temperature movement.

DON'TS


- Do not install panels on uneven or damp surfaces.
- Do not use improper tools or excessive force while fixing.
- Avoid direct exposure to extreme heat sources.
- Do not bend or force panels beyond recommended limits.
- Do not mix non-compatible profiles or fittings with the system.
- Avoid storing panels in direct sunlight or wet conditions.
- Do not remove the protective film until installation is complete.

For best performance and finish, always install Interlockit using recommended profiles and installation guidelines by Rang.

APPLICATION AREAS

Where Interlockit Can Be Used:

- Residential Spaces
- Living Rooms, TV Walls, Bedrooms, Feature Walls.
- Commercial Interiors
- Offices, Reception Areas, Meeting Rooms, Workspaces.
- Retail & Showrooms
- Display Walls, Brand Feature Areas, Product Backdrops.
- Hospitality Spaces
- Hotels, Restaurants, Lounges, Cafes.
- Architectural Interiors
- Decorative Wall Panels, Ceiling Features, Accent Walls.



Rang[®]

RANGE OF DECORATIVE PRODUCTS

OUR RANGE OF PRODUCTS

LITIA[®]
FLUTED ACRYLIC

MASKARA[®]
6H ACRYLIC LAMINATE

FADED[™]
ACRYLIC 2.0

ONIT[®]
SEAMLESS CHARCOAL

ART BY ONE[®]
DECORATIVE LOUVERS

WALLMATE[™]
DECORATIVE LOUVERS

GROOVE[®]
FOREST COLLECTION
LOUVERS

GROOVE[®]
EARTH COLLECTION
LOUVERS

GROOVE[®]
PASTEL COLLECTION
LOUVERS

Charco[®]
CHARM
DECORATIVE CHARCOAL PANELS

INTERLOCKIT[™]
WALLCLADS & FITTINGS

BERN[®]
THE META THERMO MICA

NAZRANA[®]
ENGRAVED ACRYLIC

MDF
HDMR - HIGH DENSITY MOISTURE HIGH RESISTANCE

**BELLA
CEILO[™]**
SOFFIT PANEL

**POWER
BOARD**
500 X PVC, WPC BOARD

**ECO
BOARD**
AFFORDABLE WPC BOARD

**HYBRID
BOARD**
600 X PVC, WPC BOARD

2026-27

 TOUCH ANY LOGO TO EXPLORE E-CATALOGUE

