

Rang[®]

RANGE OF DECORATIVE PRODUCTS

6H

ACRYLIC

MASKARA[®]

6H ACRYLIC LAMINATE



Established in 1989, Rang Décor has become a beacon of innovation in the realm of interior design and décor. With unwavering dedication and a passion for excellence, we have set new benchmarks, leaving a lasting legacy in the industry. In 2015, we embarked on a transformative journey with the launch of our iconic brand name, “Rang Décor.”

PASSION

Our team is driven by a love for design and aesthetics. We pour our hearts into every project, ensuring that each design is a work of art. We stay updated on the latest design trends to bring fresh ideas and creativity to make each product unique.

INTEGRITY


Our commitment to ethical practices means we deliver on promises and maintain transparent communication, building lasting relationships with our clients.

TRUST

Client trust is paramount. We understand our client's needs and preferences, ensuring that we deliver services that exceed their expectations.

INNOVATION

We keep constantly evolving with new trends in building materials industry to offer the best products which can transform spaces aesthetically.



vibrant shades to instantly uplift your furniture.



Bold Reflective Beauty



CERTIFICATE


VM VIRTUE META-SOL MATERIAL SOLUTIONS
SHOP NO. 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT


Issued to: **Bhandari Agencies Pvt. Ltd., #14-1-395/1, Aghapura, Hyderabad.** Test Report No: **VHL/R/24-25/0993-1/1** Test Report Date: **25.01.2025**

SAMPLE PARTICULARS Page 1 of 1
Sample Details: Acrylic sheets Reference Number: NA
Sample Description: Rang Maskara Acrylic Reference Date: NA
Packing Details: Good Date of Receipt: 06.01.2025
Test Required: Chemical, Mechanical, Physical and Fire Resistance Date of Testing: 06.01.2025
Date of Completion: 25.01.2025

S. No	Test parameters	UOM	Specification	Results
I Chemical Properties				
1	Material Identification	--	Shall be PMMA	The given sample is subjected to FTIR analysis, spectrum showing the presence of "Poly methyl methacrylate" (Spectrum attached)



Test Method: Fourier transform Infrared Spectroscopy.
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer. ***END OF THE REPORT***

Reviewed and Authorized By: 

BRANCH: PLOT NO: 1/B/2, PHASE - III, DA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727
VANSU/7/8/TRJ RevitH Mar'24

VM VIRTUE META-SOL MATERIAL SOLUTIONS
SHOP NO. 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.


TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd., #14-1-395/1, Aghapura, Hyderabad.** Test Report No: **VHL/R/24-25/0993-1/2** Test Report Date: **25.01.2025**

SAMPLE PARTICULARS Page 1 of 1
Sample Details: Acrylic sheets Reference Number: NA
Sample Description: Rang Maskara Acrylic Reference Date: NA
Packing Details: Good Date of Receipt: 06.01.2025
Test Required: Chemical, Mechanical, Physical and Fire Resistance Date of Testing: 06.01.2025
Date of Completion: 25.01.2025

S. No	Test parameters	UOM	Specification	Results
I Physical Properties				
1	Density	g/cc	--	1.19
2	Moisture Content	%	--	0.83
3	Thickness	mm	--	1.35
4	Young's	Kg/cm ²	--	1.61

Test Method: VHL/MECH/SOP/01
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer. ***END OF THE REPORT***

Reviewed and Authorized By: 

BRANCH: PLOT NO: 1/B/2, PHASE - III, DA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727
VANSU/7/8/TRJ RevitH Mar'24

VM VIRTUE META-SOL MATERIAL SOLUTIONS
SHOP NO. 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.


TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd., #14-1-395/1, Aghapura, Hyderabad.** Test Report No: **VHL/R/24-25/0993-1/3** Test Report Date: **25.01.2025**

SAMPLE PARTICULARS Page 1 of 1
Sample Details: Acrylic sheets Reference Number: NA
Sample Description: Rang Maskara Acrylic Reference Date: NA
Packing Details: Good Date of Receipt: 06.01.2025
Test Required: Chemical, Mechanical, Physical and Fire Resistance Date of Testing: 06.01.2025
Date of Completion: 25.01.2025

S. No	Test parameters	UOM	Specification	Results
I Mechanical Properties				
1	Tensile Strength	Mpa	80-120	85.23
2	Scratch Test	Moh's	3-5	6
3	Tensile Strength	Mpa	10-50	41.19

Test Method: VHL/MECH/SOP/01
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer. ***END OF THE REPORT***

Reviewed and Authorized By: 

BRANCH: PLOT NO: 1/B/2, PHASE - III, DA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727
VANSU/7/8/TRJ RevitH Mar'24

VM VIRTUE META-SOL MATERIAL SOLUTIONS
SHOP NO. 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.


TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd., #14-1-395/1, Aghapura, Hyderabad.** Test Report No: **VHL/R/24-25/0993-1/4** Test Report Date: **25.01.2025**

SAMPLE PARTICULARS Page 1 of 1
Sample Details: Acrylic sheets Reference Number: NA
Sample Description: Rang Maskara Acrylic Reference Date: NA
Packing Details: Good Date of Receipt: 06.01.2025
Test Required: Chemical, Mechanical, Physical and Fire Resistance Date of Testing: 06.01.2025
Date of Completion: 25.01.2025

S. No	Test parameters	UOM	Specification	Results
I Fire Resistance				
1	Fire Rating	--	--	B1
2	Flame Spread Index	--	60-80	65
3	Ignitability	--	400 - 450	459°C
4	Fire Endurance	min	15-30	18

Test Method: VHL/MECH/SOP/01
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer. ***END OF THE REPORT***

Reviewed and Authorized By: 

BRANCH: PLOT NO: 1/B/2, PHASE - III, DA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727
VANSU/7/8/TRJ RevitH Mar'24

VM VIRTUE META-SOL MATERIAL SOLUTIONS
SHOP NO. 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.


TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd., #14-1-395/1, Aghapura, Hyderabad.** Test Report No: **VHL/R/24-25/0993-1/5** Test Report Date: **25.01.2025**

SAMPLE PARTICULARS Page 1 of 1
Sample Details: Acrylic sheets Reference Number: NA
Sample Description: Rang Maskara Acrylic Reference Date: NA
Packing Details: Good Date of Receipt: 06.01.2025
Test Required: Chemical, Mechanical, Physical and Fire Resistance Date of Testing: 06.01.2025
Date of Completion: 25.01.2025

S. No	Test parameters	UOM	Specification	Results
I Life of the Product (Durability)				
V	Life of the Product (Durability)	--	--	The sample was subjected to fluorescent ultraviolet (UV) exposure using a UV9 lamp. The material was found to be free from dimensional changes and degradation. (Durability: 7-10 Years)

Test Method: VHL/MECH/SOP/01
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer. ***END OF THE REPORT***

Reviewed and Authorized By: 

BRANCH: PLOT NO: 1/B/2, PHASE - III, DA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727
VANSU/7/8/TRJ RevitH Mar'24

MASKARA®

6H ACRYLIC LAMINATE


6H
ANTI
SCRATCH

100%
PURE ACRYLIC


Edge Band Available Size : **1 MM X 25 MM***
Sizes are Subject to Availability

Acrylic Sheet Size : **2440 MM X 1220 MM (8ft X 4ft)**
Thickness : **1.5 MM (±10%)**

2M Almost Products Available in 2mm Against Bulk Order



E-CATALOGUE





Do's & Don'ts (क्या करें और क्या न करें)

Do's (क्या करें):

- Inspect material at the time of delivery. (डिलीवरी के समय मटेरीयल का निरीक्षण करें।)
- Use only matching batch material for consistent color. (समान रंग के लिए केवल मिलते-जुलते बैच की मटेरीयल का उपयोग करें।)
- Allow rolled sheets to rest flat for 48+ hours before pressing. (रोलड शीट्स को प्रेसिंग से पहले ४८ घंटे से अधिक समय तक फ्लैट रखें।)
- Clean with soft cloth and mild cleaners only. (साफ कपड़े और हल्के क्लीनर से ही सफाई करें।)
- Use high-quality water-based PEVA adhesive only. (केवल उच्च गुणवत्ता वाले वॉटर-बेस्ड PEVA एडहेसिव का उपयोग करें।)
- When rolling, keep gloss side facing outward and backside inward. (रोलिंग करते समय ग्लॉसी साइड बाहर और बैक साइड अंदर रखें।)
- Sand chemically dipped substrates before bonding. (बांडिंग से पहले रासायन में डुबाई हुई सतहों को सैंड करें।)

Don'ts (क्या न करें):

- Do not use synthetic rubber, resin, or solvent-based adhesives. (सिंथेटिक रबर, रेजिन या सॉल्वेंट-बेस्ड एडहेसिव का उपयोग न करें।)
- Do not place hot cookware directly on the surface. (गर्म बर्तन को सीधे सतह पर न रखें।)
- Do not expose to direct sunlight or high heat sources. (प्रत्यक्ष सूर्य प्रकाश या उच्च ताप स्रोत के संपर्क में न लाएँ।)
- Do not use laminate for unintended applications. (अनुचित कार्यों जैसे हथौड़ा चलाना, आग में लगाना आदि के लिए लेमिनेट का उपयोग न करें।)
- Do not store sheets rolled or in an uneven condition. (शीट्स को मुड़ी हुई या असमान स्थिति में संग्रहित न करें।)
- Do not use improper or damaged cutting blades. (गलत या क्षतिग्रस्त काटने वाले ब्लेड का उपयोग न करें।)
- Do not rely on brochure images for exact color representation. (सटीक रंग प्रतिनिधित्व के लिए केवल ब्रोशर इमेज पर निर्भर न रहें।)

Professional Handling Instructions

- Inspect the material thoroughly on delivery and at the time of purchase. Ensure the product is damage-free before installation.
- If sheets are delivered rolled, unroll immediately and allow to rest flat for a minimum of 48 hours.
- During rolling, always ensure the glossy acrylic layer faces outward and the backside is inside.
- Use only water-based PEVA adhesives. Avoid synthetic rubber, resin, or solvent-based adhesives.
- Sand dipped plywood or non-standard substrates prior to application to avoid yellow patches.
- Use a proper acrylic cutting blade. Avoid damaged, bent, or non-standard blades for a clean, safe cut.

Keeping the laminate stored improperly for many days after receiving can cause damage.

- Always open the roll immediately after receiving to avoid damage or deformation.



INFORMATION

No Guarantee in any circumstances

Like crack, bubble, color fade and color variation.
Please check material when delivered.

- No guarantee & no exchange in any circumstances.
- There can be color variation in material from different batches.
- It is advised to use same batch material to avoid color variations.
- Actual colors of the laminate sheet may vary from this brochure.



Please open the roll immediately.
Do not pressurize while opening roll.




Shake it well and lightly spray on the surface.



Wipe the surface clean using a light circular motion.

WHAT'S INSIDE MASKARA?



6H Anti-Scratch Coating

Acrylic Layer

Glue Line

Color Based Film Layer

Primer Coating

Note : Rang warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any manufacturing defect Rang is liable for product cost only.

Rang is not liable for any complains in the following cases:

- Colour variation from batch-to-batch production.
- Improper handling of product or any transportation damage.
- Improper installation of product.
- Outdoor applications.
- Exposure of laminate sheet to direct sunlight.
- Visual differences may occur between physical product and e-catalogue or printed images.

We are liable only on acrylic products not on plywood, glue and other material for installation.

- It is advisable to check the batch number to avoid colour variation.
- Rang is not liable for any complaints if the product is not properly handled or installed. Maintain according to given guidelines.

ACRYLIC LAMINATE :

- Cleaning should be done with water and clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household cleaners like colin to gently wipe down with a non abrasive cloth.
- Avoid the use of abrasive liquid cleaners, bleaching compounds or solutions as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate, prolonged exposure to temperatures above 30° celsius may causes damage to the laminate surface.
- Do not use the laminate for purposes that it is not intended for (e.g. do not iron chop, hammer or expose the laminate to open flame).
- UV rays may deform the laminate.
- Do not use thinner or toluene on the surface of this laminate, as it may cause discoloration.
- Store the laminates at temperature below 30° celsius.
- Peel off the protective film after processing.

PLEASE REMOVE PROTECTIVE FILM WITHIN 6/7 DAYS OF INSTALLATION



LIGHT WEIGHT

The flawless design structure of our acrylic sheets is engineered to be extremely light weight and easy to apply.



TERMITE & BORER FREE

Advanced science enables our acrylic sheets to resist termites and borers for several years.



1.5MM THICKNESS

Advanced processing procures the right amount of manufactured thickness which provides forever strength to the laminate sheets.



WATER & STAIN PROOF

Our 6H acrylic sheets are manufactured to repel water and resist stains for a long time.



DURABILITY & STRENGTH


Our acrylic sheets developed with technologically advanced processing are Anti-Scratch and stain resistant.



IDEAL FOR VERTICAL APPLICATION

The exemplary adhesion properties enable our collection of acrylic sheets to be installed vertically.

OUR STOCK POINTS



-  HEAD OFFICE & MANUFACTURING UNITS
-  COMPANY STOCK POINT
-  DISTRIBUTION STOCK POINT

MAKE IN INDIA



Rang manufactures premium acrylic sheets using film lamination on high-grade glass-acrylic surfaces — delivering superior finish, durability, and modern design.

Our upgraded range, Maskara 6H Acrylic, is engineered for stronger hardness, richer clarity, and made to deliver consistent finish quality.

From raw material to final sheet, every process is crafted in India with precision engineering, consistent quality, and next-gen technology.

Rang now proudly produces a fully upgraded acrylic range in India — innovated for India's interiors and built for the future.

Area of Application



Living Room

The smooth, elegant finish of Maskara 6H acrylic brings understated luxury to living spaces. It gently uplifts shelves, panels and TV units with a soft glow that blends beautifully into home aesthetics. Every corner feels warmer, more defined, and effortlessly stylish.



Commercial

Maskara 6H acrylic elevates commercial interiors with a sharp, modern sheen that instantly feels premium. It supports high-traffic environments with a visually strong, contemporary presence. From reception counters to collaborative zones, it adds a sense of order, clarity and refined professionalism.



Kitchen

The bright, glossy surface of Maskara 6H acrylic gives kitchens a crisp, contemporary identity. It enhances cabinets and storage fronts with a fresh, unified look that instantly brightens the space. Everything appears more organised, polished and visually seamless.



Bedroom

Maskara's balanced colour palette and sleek texture create a calm atmosphere ideal for unwinding. It adds a sense of neatness and harmony to wardrobes, side tables and accent panels. The overall look feels composed, inviting and pleasantly modern.

MASKARA[®]
6H ACRYLIC LAMINATE









2mm Acrylic


Acrylic laminate with 2mm thickness is ideal for vertical applications, offering a sleek, modern finish. Its enhanced strength and lightweight profile ensure durability and ease of installation. Designed to resist warping and maintain luster, it's a top choice for residential and commercial interior projects.




RF 1000



RF 1001



RF 1002



RF 1061





TERMITE & BOILER FREE



2MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION



WATER & STAIN PROOF




100% PURE ACRYLIC




6H ANTI SCRATCH






RF 1053



RF 1052




GEOMETRY THAT SHAPES MODERN SPACES.




RF 1028






RF 1016



RF 1059




RM 6099





RM 6099 SOLTERRA




RM 6098 SABBIA






RM 6096 LUXNOIR





RM 8194 NERROX







RM 8300 DAISY




RM 8335 SAHARA




RM 8322 ROSY




RM 8346 BERRY




RM 8301 OPAL WHITE



RM 8303 FAWN



RM 8321 CRUISE




RM 8343 SERENE GREEN



RM 8325 AERIS



RM 8316 CLIP



RM 8313 MISTY ROSE



RM 8364 BLUSKA



FULL SHEET VIEW



RM 8203 GOLD VEIN



FULL SHEET VIEW




RM 8204 SILVER MIRAGE




FULL SHEET VIEW



RM 8202 BM MIRAGE




RM 6343 HULK




RM 8201 TERRAZZO







RM 6300 CHEENI




RM 6301 CRYSTAL




RM 6302 GALAXY




RM 6335 HONEY



RM 6313 BUTTER




RM 6303 CAPPUCCINO



RM 6322 MAPLE




RM 6348 LITCHI



RM 6319 ZARA






RM 6352 TOFFEE



RM 6318 STROKES




RM 6363 BROCCOLI



RM 6321 TIFFANY




RM 6334 LUXE



RM 6326 AURORA



RM 6343 HULK



RM 6336 WOLF



RM 6360 DOLPHIN



TERMITE & BORER FREE

1.5MM THICKNESS

LIGHT WEIGHT

DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION

WATER & STAIN PROOF

100% PURE ACRYLIC

6H ANTI SCRATCH



RM 6016 DYNA



RM 6015 LILAC WHITE





RM 8103 GOLDMAR



RM 8106 GOLDEN FROST



FULL SHEET VIEW



RM 8102 THUNDERSTORM



RM 6036 BLAZE WHITE



RM 6037 ABSTRACT WHITE





RM 6021 GOLD FLAKES



RM 6032 WHITE EBONY




RM 8101 PALISSANDRO BLUE



RM 8017 ICELAND



FULL SHEET VIEW



RM 6017 BIANCO STATURIO



RM 8018 STATURIO



RM 8105 MOON DUST





TERMITE & BORER FREE

1.5MM THICKNESS

LIGHT WEIGHT


DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION


WATER & STAIN PROOF

100% PURE ACRYLIC

6H ANTI SCRATCH




RM 4050 PARCHMENT



RM 4013 MASKA




RM 4035




RM 4018 DUSKIN



RM 4003 FRAPPE




RM 4035 SANDCASTLE




RM 4064 WILLYWONKA







RM 4001 SNOW




RM 4000 SUGAR




RM 4002 COTTON




RM 4053 MOCASSIN




RM 4006 PEANUT



RM 4024 OSTRICH



RM 4007 CAMEL



RM 4044 MUSHROOM



RM 4036 BENJAMIN MOORE





TERMITE & BORER FREE

1.5MM THICKNESS

LIGHT WEIGHT


DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION


WATER & STAIN PROOF

100% PURE ACRYLIC


6H ANTI SCRATCH




RM 4030 MENTHOL




RM 4033 TEAL




RM 4021 AQUA



RM 4025 PACIFIC




RM 4063 OLIVE




RM 4031 AMARIA




RM 4043 BASIL




RM 4017 FROST



RM 4034 LAPIS




RM 4026 OCEAN




RM 4020 DENIM






RM 4055 OYSTER




RM 4029 RHINO



RM 4015 PEBBLE




RM 4058 CHINTUS



RM 4060 SHARK




RM 4016 VONI



RM 4001 SNOW



RM 4014 FLINT



RM 4005 FOSSIL




RM 4009 MIDNIGHT




SOFT, GRACEFUL, AND BLOOMING NATURALLY




RM 4046 MAUVE



RM 4023 LAVENDER




RM 4039 ORCHID



RM 4048 FLAMINGO






RM 4047 PETALS




RM 4022 CAREY



RM 4051 CONFETTI



RM 4049 CORAL



RM 4019 ONION




RM 4042 GULABJI






RM 4032 RAETH




RM 4041 SANGRIA



RM 4012 MACAROON



RM 4037 ASHWOOD




RM 4011 MOMRO



RM 4027 SUNLIGHT



Morning-bright hues
designed to awaken
your interiors.




RM 6001 SALT




RM 6025 ARMOUR




RM 6124 PIGEON




RM 6019 ARCTIC




RM 6024 KAMBABA



RM 6007 SHADOW




RM 6125 PICANTE



RM 6023 RUTHBA



RM 6119 GRAPHITE



RM 6116 STORM





TERMITE & BORER FREE

1.5MM THICKNESS

LIGHT WEIGHT

DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION


WATER & STAIN PROOF

100% PURE ACRYLIC


6H ANTI SCRATCH




RM 8015 TAPIOCA



RM 8016 ALUMINATI



RM 8005 STONINGTON



RM 8007 CITYSCAPE




Natural hues
shaped with a soft,
nostalgic elegance!






RM 8006 BENJAMIN



RM 8001 DOVE



RM 8011 GARDEN



RM 8002 MIST



RM 8008 RIVERWAY



RM 8019 SCARLET



RM 8010 BARBERRY



RM 8020 BISCOFF



RM 8004 PASHMINA



RM 8003 MINK





RM 6026 CLASSIC WALNUT



RM 6030 SMOKED ANTIQUE OAK



RM 6033

RM 8007



RM 6029 BURMESE



RM 6033 ORIENTAL EBONY





RM 6031 SMOKED CHESTNUT



RM 8023 SMOKED CHESTNUT MATT



RM 6035 FIGURED AFROMOSIA



A world of wooden designs flowing with character, depth, and harmony!



RM 6038 FIGURED SMOKE ASH



RM 6034 WALNUT CROTCH



RM 6039 FIGURED OAK CROWN



RM 6040 SANTOSH ROSEWOOD



RICHNESS IN FLOW

Bringing sweeping warmth and spacious elegance to every interior!



RURUR



RM 6401 GOLD MIRROR
SELF ADHESIVE



RM 6403 BRONZE MIRROR
SELF ADHESIVE



RM 6405 SILVER MIRROR
SELF ADHESIVE



RM 6402 COPPER MIRROR
SELF ADHESIVE



RM 6406 ROSE MIRROR
SELF ADHESIVE



RM 6404 GREY MIRROR
SELF ADHESIVE


EDGE BANDING



EB 4000



EB 4001



EB 4002



EB 4003



EB 4005



EB 4006



EB 4009



EB 4011



EB 4012



EB 4013



EB 4014



EB 4015



EB 4016



EB 4017



EB 4018



EB 4019



EB 4020



EB 4021



EB 4022



EB 4023



EB 4024



EB 4025



EB 4026



EB 4027



EB 4029



EB 4030



EB 4031



EB 4032



EB 4033



EB 4034



EB 4035



EB 4036




EB 4037



EB 4039



EB 4041



EB 4042



EB 4043



EB 4044



EB 4046



EB 4047



EB 4048



EB 4049




EB 4053




EB 4063




EB 4064



EB 6001



EB 6007




EB 6015



EB 6016




EB 6017




EB 6019




EB 6023



EB 6024




EB 6025




EB 6026




EB 6029




EB 6030




EB 6031



EB 6033



EB 6034




EB 6035



EB 6038



EB 6039



EB 6040



EB 6116




EB 6119



EB 6124



EB 6125



EB 8001



EB 8002



EB 8003



EB 8004



EB 8005



EB 8006



EB 8007



EB 8008



EB 8010



EB 8011



EB 8015




EB 8016




EB 8019




EB 8020




EB 8101



EB 8105



EB 8106



Edge Band

Available Size : 1 MM X 25 MM*

Sizes are Subject to Availability

TECHNICAL SPECIFICATION




Parameters	Acrylic Laminate	High Gloss Laminate Mica	PU Coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	Anti Scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION:



If hot cookware or utensils are directly placed on the laminate




Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive



The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.




Prolonged exposure to high temperature (above 30°C-35°C)




Exposure to direct sunlight can gravity affect a laminated appearance

REASONS FOR AIR BUBBLE FORMATIONS ON LAMINATES:



Insufficient or lack of pressing during the bonding period of laminate



Debonding in certain areas because of uneven substrate surface



Laminates are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Use of extremely large acrylic / PVC laminate sheets for maximum utilization

REASON OF AIR BUBBLES



DISCLAIMER :

There can be colour variation in the material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the Acrylic laminate sheets / Acrylic Edge bending may vary from this brochure.

Index

Sr. No.	Design No.	Design Name	PG. NO.
1	RF 1000	2mm (Sugar)	2
2	RF 1001	2mm (Snow)	2
3	RF 1002	2mm (Cotton)	2
4	RF 1016	2mm (Voni)	6
5	RF 1028	2mm (Bayleaf)	5
6	RF 1052	2mm (Hazelnut)	4
7	RF 1053	2mm (Mocassin)	4
8	RF 1059	2mm (Moon Mist)	6
9	RF 1061	2mm (Pashmina)	2
10	RM 4000	Sugar	24
11	RM 4001	Snow	24, 26
12	RM 4002	Cotton	24
13	RM 4003	Frappe	23
14	RM 4005	Fossil	26
15	RM 4006	Peanut	24
16	RM 4007	Camel	24
17	RM 4009	Midnight	26
18	RM 4011	Momro	29
19	RM 4012	Macaroon	29
20	RM 4013	Maska	23
21	RM 4014	Flint	26
22	RM 4015	Pebble	26
23	RM 4016	Voni	26
24	RM 4017	Frost	25
25	RM 4018	Duskin	23
26	RM 4019	Onion	28
27	RM 4020	Denim	25
28	RM 4021	Aqua	25
29	RM 4022	Carey	28
30	RM 4023	Lavender	27
31	RM 4024	Ostrich	24
32	RM 4025	Pacific	25
33	RM 4026	Ocean	25
34	RM 4027	Sunlight	29
35	RM 4029	Rhino	26
36	RM 4030	Menthol	25
37	RM 4031	Amaria	25
38	RM 4032	Raeth	29
39	RM 4033	Teal	25
40	RM 4034	Lapis	25
41	RM 4035	Sandcastle	23
42	RM 4036	Benjamin Moore	24
43	RM 4037	Ashwood	29
44	RM 4039	Orchid	27
45	RM 4041	Sangria	29
46	RM 4042	Gulabji	28
47	RM 4043	Basil	25
48	RM 4044	Mushroom	24
49	RM 4046	Mauve	27
50	RM 4047	Petals	28
51	RM 4048	Flamingo	27

Sr. No.	Design No.	Design Name	PG. NO.
52	RM 4049	Coral	28
53	RM 4050	Parchment	23
54	RM 4051	Confetti	28
55	RM 4053	Mocassin	24
56	RM 4055	Oyster	26
57	RM 4058	Chintus	26
58	RM 4060	Shark	26
59	RM 4063	Olive	25
60	RM 4064	Willywonka	23
61	RM 6001	Salt	30
62	RM 6007	Shadow	30
63	RM 6015	Lilac White	19
64	RM 6016	Dyna	19
65	RM 6017	Bianco Staturio	22
66	RM 6019	Arctic	30
67	RM 6021	Gold Flakes	21
68	RM 6023	Ruthba	30
69	RM 6024	Kambaba	30
70	RM 6025	Armour	30
71	RM 6026	Classic Walnut	33
72	RM 6029	Burmese	34
73	RM 6030	Smoked Antique Oak	33
74	RM 6031	Smoked Chestnut	35
75	RM 6032	White Ebony	21
76	RM 6033	Oriental Ebony	34
77	RM 6034	Walnut Crotch	36
78	RM 6035	Figured Afrosomia	35
79	RM 6036	Blaze White	20
80	RM 6037	Abstract White	20
81	RM 6038	Figured Smoke Ash	36
82	RM 6039	Figured Oak Crown	36
83	RM 6040	Santosh Rosewood	36
84	RM 6096	Luxnoir	9
85	RM 6098	Sabbia	8
86	RM 6099	Solterra	8
87	RM 6116	Storm	30
88	RM 6119	Graphite	30
89	RM 6124	Pigeon	30
90	RM 6125	Picante	30
91	RM 6300	Cheeni	17
92	RM 6301	Crystal	17
93	RM 6302	Galaxy	17
94	RM 6303	Cappuccino	17
95	RM 6313	Butter	17
96	RM 6318	Strokes	18
97	RM 6319	Zara	17
98	RM 6321	Tiffany	18
99	RM 6322	Maple	17
100	RM 6326	Aurora	18
101	RM 6334	Luxe	18
102	RM 6335	Honey	17

Sr. No.	Design No.	Design Name	PG. NO.
103	RM 6336	Wolf	18
104	RM 6343	Hulk	16, 18
105	RM 6348	Litchi	17
106	RM 6352	Toffee	18
107	RM 6360	Dolphin	18
108	RM 6363	Broccoli	18
109	RM 6401	Gold Mirror	38
110	RM 6402	Copper Mirror	38
111	RM 6403	Bronze Mirror	38
112	RM 6404	Grey Mirror	38
113	RM 6405	Silver Mirror	38
114	RM 6406	Rose Mirror	38
115	RM 8001	Dove	32
116	RM 8002	Mist	32
117	RM 8003	Mink	32
118	RM 8004	Pashmina	32
119	RM 8005	Stonington	31
120	RM 8006	Benjamin	32
121	RM 8007	Cityscape	31
122	RM 8008	Riverway	32
123	RM 8010	Barberry	32
124	RM 8011	Garden	32
125	RM 8015	Tapioca	31
126	RM 8016	Aluminati	31
127	RM 8017	Iceland	21
128	RM 8018	Staturio	22
129	RM 8019	Scarlet	32
130	RM 8020	Biscoff	32
131	RM 8023	Smoked Chestnut Matt	35
132	RM 8101	Palissandro Blue	21
133	RM 8102	Thunderstorm	20
134	RM 8103	Goldmar	19
135	RM 8105	Moon Dust	22
136	RM 8106	Golden Frost	19
137	RM 8194	Nerrox	10
138	RM 8201	Terrazzo	16
139	RM 8202	Bm Mirage	16
140	RM 8203	Gold Vein	15
141	RM 8204	Silver Mirage	15
142	RM 8300	Daisy	11
143	RM 8301	Opal White	12
144	RM 8303	Fawn	12
145	RM 8313	Misty Rose	14
146	RM 8316	Clip	13
147	RM 8321	Cruise	13
148	RM 8322	Rosy	11
149	RM 8325	Aeris	13
150	RM 8335	Sahara	11
151	RM 8343	Serene Green	13
152	RM 8346	Berry	11
153	RM 8364	Bluska	14



Rang[®]

RANGE OF DECORATIVE PRODUCTS

OUR RANGE OF PRODUCTS

LITIA[®]
FLUTED ACRYLIC

MASKARA[®]
6H ACRYLIC LAMINATE

FADED[™]
ACRYLIC 2.0

ONIT[®]
SEAMLESS CHARCOAL

ART BY ONE[®]
DECORATIVE LOUVERS

WALLMATE[™]
DECORATIVE LOUVERS

GROOVE[®]
FOREST COLLECTION
LOUVERS

GROOVE[®]
EARTH COLLECTION
LOUVERS

GROOVE[®]
PASTEL COLLECTION
LOUVERS

Charco[®]
CHARM
DECORATIVE CHARCOAL PANELS

INTERLOCKIT[™]
WALLCLADS & FITTINGS

BERN[®]
THE META THERMO LAM

NAZRANA[®]
ENGRAVED ACRYLIC

MDF
HDMR - HIGH-DENSITY MOISTURE HIGH RESISTANCE

CANIS[®]
PREMIUM MDF SLATS

**POWER
BOARD**
500 X PVC, WPC BOARD

**ECO
BOARD**
AFFORDABLE WPC BOARD

**HYBRID
BOARD**
600 X PVC, WPC BOARD



rangdecor.in
Follow us on :   

26
27