

Rang[®]

RANGE OF DECORATIVE PRODUCTS

GROOVE[®]
SEAMLESS PLANKS

**FOREST
COLLECTION**



F
E

R
E

S
T

Collection

Crafted to reflect the beauty of nature, our Forest Collection delivers rich wood textures, precise groove detailing, and timeless elegance, perfect for creating statement walls with a premium finish.




INDEX

RG 7001	RG 7020	RG 7035
RG 7002	RG 7021	RG 8001
RG 7006	RG 7023	RG 8002
RG 7007	RG 7024	RG 8003
RG 7008	RG 7025	RG 8004
RG 7009	RG 7026	RG 8005
RG 7012	RG 7027	RG 8006
RG 7013	RG 7028	RG 8007
RG 7014	RG 7029	RG 8008
RG 7015	RG 7030	RG 8009
RG 7016	RG 7031	RG 8010
RG 7017	RG 7032	RG 8011
RG 7018	RG 7033	RG 8012
RG 7019	RG 7034	



TOUCH ANY CODE TO EXPLORE




RG 7032
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7033
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7034
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 7035
9 FEET




Textured Grace

Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 8009
9 FEET




Quiet Tones

Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 8010
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 8011
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 8012
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7012
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7013
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7021
9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 7014
9 FEET




Seamless Strength

Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 7015
9 FEET




A colour Pop

Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7007
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7008
9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7009
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 7031
9 FEET




Grand Poise

Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7023
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7024
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7025
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7026
9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7017
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7018
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7019
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7020
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7027
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7028
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7029
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7030
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7016
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 7001
9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7002

9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 7006
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 8005

9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION



RG 8006

9 FEET




*Warmth
Stays*


Rang[®]

RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 8007
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX




RG 8008

9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 8001

9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 8002

9 FEET




Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION




RG 8003
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

← INDEX



RG 8004
9 FEET



Rang[®]
RANGE OF DECORATIVE PRODUCTS

Forest
COLLECTION

CERTIFICATE

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CARTOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd.,** Test Report No : **VHL/R/24-25/0093-3/1**
#14-1-395/3, Aghapura, Hyderabad. Test Report Date : **25.01.2025**


SAMPLE PARTICULARS Page 1 of 1

Sample Details	: Louvers Planks	Reference Number	: NA
Sample Description	: Rang Groove Planks	Reference Date	: NA
Packing Details	: Good	Date of Receipt	: 06.01.2025
Test Required	: Mechanical, Physical and Fire Resistance	Date of Testing	: 06.01.2025
		Date of Completion	: 25.01.2025

TEST RESULTS

S. No.	Test parameters	UOM	Specification	Results
1 Physical Properties				
1	Density	g/cc	--	0.68
2	Moisture Content	%	--	2.89
3	Weight	Kg/m ²	--	3.83

Test Method: VHL/NECH/SO/01.
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer.
END OF THE REPORT


Reviewed and Authorized By

BRANCH: PLOT NO: 1/B/2, PHASE - III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
EMAIL ID: VIRTUE.MET@MAIL.COM, PHONE NO. 9030181727, 9030931727.
VMS/CJ/78TR Rev 04 Mar 24

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CARTOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd.,** Test Report No : **VHL/R/24-25/0093-3/2**
#14-1-395/3, Aghapura, Hyderabad. Test Report Date : **25.01.2025**


SAMPLE PARTICULARS Page 1 of 1

Sample Details	: Louvers Planks	Reference Number	: NA
Sample Description	: Rang Groove Planks	Reference Date	: NA
Packing Details	: Good	Date of Receipt	: 06.01.2025
Test Required	: Mechanical, Physical and Fire Resistance	Date of Testing	: 06.01.2025
		Date of Completion	: 25.01.2025

TEST RESULTS

S. No.	Test parameters	UOM	Specification	Results
1 Mechanical Properties				
1	Flexural Strength	MPa	30-50	32.5
2	Scratch Test	mm/3	1-2	2
3	Tensile Strength	MPa	20-30	45.7

Test Method: VHL/NECH/SO/01.
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer.
END OF THE REPORT


Reviewed and Authorized By

BRANCH: PLOT NO: 1/B/2, PHASE - III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
EMAIL ID: VIRTUE.MET@MAIL.COM, PHONE NO. 9030181727, 9030931727.
VMS/CJ/78TR Rev 04 Mar 24

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CARTOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd.,** Test Report No : **VHL/R/24-25/0093-3/3**
#14-1-395/3, Aghapura, Hyderabad. Test Report Date : **25.01.2025**


SAMPLE PARTICULARS Page 1 of 1

Sample Details	: Louvers Planks	Reference Number	: NA
Sample Description	: Rang Groove Planks	Reference Date	: NA
Packing Details	: Good	Date of Receipt	: 06.01.2025
Test Required	: Mechanical, Physical and Fire Resistance	Date of Testing	: 06.01.2025
		Date of Completion	: 25.01.2025

TEST RESULTS

S. No.	Test parameters	UOM	Specification	Results
1 Fire Resistance				
1	Fire Rating	--	--	Class B
2	Flame Spread Index	--	35-50	41
3	Ignitability	°C	340-380	390
4	Fire Endurance	min	10-20	12

Test Method: VHL/NECH/SO/01.
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer.
END OF THE REPORT


Reviewed and Authorized By

BRANCH: PLOT NO: 1/B/2, PHASE - III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
EMAIL ID: VIRTUE.MET@MAIL.COM, PHONE NO. 9030181727, 9030931727.
VMS/CJ/78TR Rev 04 Mar 24

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CARTOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to: **Bhandari Agencies Pvt. Ltd.,** Test Report No : **VHL/R/24-25/0093-3/4**
#14-1-395/3, Aghapura, Hyderabad. Test Report Date : **25.01.2025**


SAMPLE PARTICULARS Page 1 of 1

Sample Details	: Louvers Planks	Reference Number	: NA
Sample Description	: Rang Groove Planks	Reference Date	: NA
Packing Details	: Good	Date of Receipt	: 06.01.2025
Test Required	: Mechanical, Physical and Fire Resistance	Date of Testing	: 06.01.2025
		Date of Completion	: 25.01.2025

TEST RESULTS

S. No.	Test parameters	UOM	Specification	Results
1	Life of the Product (Durability)	-	--	The sample was subjected to fluorescent ultraviolet (UV) exposure using a UVB lamp. The material was found to be free from dimensional changes and degradation. (Durability: 7-10 Years)

Test Method: VHL/NECH/SO/01.
Disclaimer 1: This report relates only to the particular sample submitted for test.
Disclaimer 2: sample is done by the customer.
END OF THE REPORT


Reviewed and Authorized By

BRANCH: PLOT NO: 1/B/2, PHASE - III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA - 500 051.
EMAIL ID: VIRTUE.MET@MAIL.COM, PHONE NO. 9030181727, 9030931727.
VMS/CJ/78TR Rev 04 Mar 24

Installation & Technical Guidelines:



DO'S

- Before installation, ensure the surface is prepared using plywood or MDF. Remove any existing wallpaper or film. Ensure dipped plywood/lipping patti meets interior quality standards. If defects like uneven coating or discoloration are found, sand the affected area to remove the faulty layer.

इस्तेमाल से पहले - प्लाईवुड या MDF का उपयोग करके सतह को तैयार करें। मौजूदा वॉलपेपर या फिल्म को हटा दें। सुनिश्चित करें कि डिप्ड प्लाईवुड/लिंगिंग पट्टी आंतरिक गुणवत्ता मानकों का पालन करती हो। यदि डिप्ड रंग परत में असमान कोटिंग या रंग में बदलाव हो, तो खराब परत को सैंडपेपर से हटाएं।

- Apply a high-quality adhesive to the back of the louvers. For strong bonding, a small amount of hot glue is recommended.

लूवर्स के पीछे उच्च गुणवत्ता वाला एडहेसिव लगाएं। मजबूत पकड़ के लिए थोड़ा हॉट ग्लू का प्रयोग करें।

- Louvers can be installed horizontally or vertically. For extra stability, secure them by hammering nails into interlocking edges or grooves.

लूवर्स को हॉरिजॉन्टल या वर्टिकल तरीके से लगाया जा सकता है। अतिरिक्त मजबूती के लिए, इन्हें इंटरलॉकिंग किनारों या ग्रूव्स में कील ठोककर स्थिर करें।

- Louvers are designed strictly for indoor use.

लूवर्स केवल इनडोर उपयोग के लिए बनाए गए हैं।

- Use a circular saw to cut the louvers to the desired size. Ensure the blade is sharp, undamaged, and free of cracks, bends, or missing teeth.

लूवर्स को मनचाहे आकार में काटने के लिए सर्कुलर सॉ का उपयोग करें। ब्लेड तेज, बिना नुकसान के और सही हो।

- Clean only with a soft cloth.

सफाई केवल मुलायम कपड़े से करें।

DON'TS

- Avoid the use of any chemicals or cleaning detergents.

किसी भी केमिकल या डिटर्जेंट का उपयोग न करें।

- Louvers are waterproof, but prolonged exposure to moisture can damage the product.

लूवर्स वॉटरप्रूफ हैं, लेकिन ज्यादा समय तक नमी में रहने से नुकसान हो सकता है।

- Do not install them in areas exposed to direct sunlight or near heat sources such as stoves or hobs.

इन्हें सीधी धूप या गर्मी के स्रोत जैसे स्टोव या हॉब के पास न लगाएं।

Note:

- Rang ensures all its products are free from manufacturing defects and are suitable for use in standard indoor environments. In case of a manufacturing defect, Rang is liable only for the product cost.
- Beware of counterfeit products. To ensure authenticity, look for the official Rang sticker or Rang-branded box before purchase.
- Product dimensions may vary by up to $\pm 5\%$. Please note that slight color differences may exist between the actual product and the images shown in the brochure/e-catalogue.

Warranty Exclusions:

Rang will not be held liable for complaints arising from:

- Color variations due to batch differences
- Damage during handling or transit
- Incorrect installation procedures
- Outdoor usage
- Direct sunlight exposure



OUR RANGE OF PRODUCTS

LITIA[®]
FLUTED ACRYLIC

MASKARA[®]
6H ACRYLIC LAMINATE

FADED[™]
ACRYLIC 2.0

ONIT[®]
SEAMLESS CHARCOAL

ART BY ONE[®]
DECORATIVE LOUVERS

WALLMATE[™]
DECORATIVE LOUVERS

GROOVE[®]
FOREST COLLECTION
LOUVERS

GROOVE[®]
EARTH COLLECTION
LOUVERS

GROOVE[®]
PASTEL COLLECTION
LOUVERS

Charco[®]
CHARM
DECORATIVE CHARCOAL PANELS

INTERLOCKIT[™]
WALLCLADS & FITTINGS

BERN[®]
THE META THERMO MICA

NAZRANA[®]
ENGRAVED ACRYLIC

MDF
HDMR - HIGH DENSITY MOISTURE HIGH RESISTANCE

**BELLA
CEILO**[™]
SOFFIT PANEL

**POWER
BOARD**
500 X PVC, WPC BOARD

**ECO
BOARD**
AFFORDABLE WPC BOARD

**HYBRID
BOARD**
600 X PVC, WPC BOARD

2026-27



TOUCH ANY LOGO TO EXPLORE E-CATALOGUE